

PES-0059-P

IN THE CLAIMS**BEST AVAILABLE COPY**

1. (Previously Presented) An electrochemical cell, comprising:
 - a first electrode;
 - a second electrode;
 - a membrane disposed between and in ionic communication with the first electrode and the second electrode;
 - a first flow field in fluid communication with the first electrode and disposed opposite the membrane;
 - a second flow field in fluid communication with second electrode and disposed opposite the membrane; and
 - an electrically conductive pressure pad adjacent the first flow field and the first electrode, wherein the pressure pad comprises an integral mixture of a substoichiometric oxide of titanium and an elastomeric material.
2. (Original) The electrochemical cell of Claim 1, wherein the elastomeric material is particulate.
3. (Original) The electrochemical cell of Claim 1, wherein the elastomeric material is selected from the group consisting of silicones, fluorosilicones, fluoroelastomers, and mixtures comprising one or more of the foregoing elastomeric materials.
4. (Currently Amended) The electrochemical cell of Claim 1, further comprising a first metal foil disposed in electrical communication with the pressure pad.
5. (Original) The electrochemical cell of Claim 1, wherein the pressure pad has a void volume of about 0.1% to about 90% based on the total volume of the pressure pad.
6. (Original) The electrochemical cell of Claim 5, wherein the pressure pad has a void volume of about 20% to about 80% based on the total volume of the pressure pad.

PES-0059-P

7. (Original) The electrochemical cell of Claim 1, wherein the substoichiometric oxide of titanium are represented by the formula Ti_nO_{2n-1} , where n is an integer of 4 or more.

8. (Original) The electrochemical cell of Claim 7, wherein the substoichiometric oxide of titanium are selected from the group consisting of Ti_4O_7 , Ti_5O_9 , Ti_6O_{11} , and mixtures comprising one or more of the foregoing.

9. (Cancelled)

10. (Currently Amended) The electrochemical cell collector plate of Claim 9 4, wherein the first metal foil comprises a metal selected from the group consisting of stainless steel, titanium, niobium, nickel, cobalt, hafnium, zirconium, tungsten, tantalum, and alloys and mixtures comprising one or more of the foregoing metals.

11. (Currently Amended) The electrochemical cell collector plate of Claim 9 4, further comprising a second metal foil disposed in electrical communication with the pressure pad, wherein the second metal foil comprises a metal selected from the group consisting of stainless steel, titanium, niobium, nickel, cobalt, hafnium, zirconium, tungsten, tantalum, and alloys and mixtures comprising one or more of the foregoing metals.

12 – 13. (Cancelled)

14. (Previously Presented) An electrochemical cell collector plate comprising:
a first metal foil and a second metal foil wherein disposed between the first metal foil and the second metal foil is a layer comprising an integral mixture of an electrically conductive material and an elastomeric material;

wherein the integral mixture of the electrically conductive material and the elastomeric material is present in an active area of the collector plate and wherein a nonconductive material is present in an inactive area of the collector plate.

PES-0059-P

15. (Previously Presented) An electrochemical cell collector plate comprising:
a first metal foil and a second metal foil wherein disposed between the first metal foil and the second metal foil is a layer comprising an integral mixture of an electrically conductive material and an elastomeric material

wherein the integral mixture of the electrically conductive material and the elastomeric a material is deposited on the first metal foil in a pattern, and wherein the pattern creates a flow field between the first metal foil and the second metal foil.

16. (Original) The electrochemical cell collector plate of Claim 15, wherein the pattern is a radiating fin wherein the center of the collector plate is not anodized and the outer edges are anodized.

17. (Currently Amended) ~~The~~ An electrochemical cell collector plate ~~of Claim 9,~~
comprising:

a first metal foil and a second metal foil wherein disposed between the first metal foil and the second metal foil is a layer comprising an integral mixture of an electrically conductive material and an elastomeric material to form the electrochemical cell collector plate;

wherein the electrically conductive material comprises a substoichiometric oxide of titanium represented by the formula Ti_nO_{2n-1} , where n is an integer of 4 or more.

18. (Previously Presented) The electrochemical cell collector plate of Claim 17, wherein the substoichiometric oxide of titanium is selected from the group consisting of Ti_4O_7 , Ti_5O_9 , Ti_6O_{11} , and mixtures comprising one or more of the foregoing.

PES-0059-P

19. (Original) An electrochemical cell comprising:

a first electrode;

a second electrode;

a membrane disposed between and in ionic communication with the first electrode and the second electrode;

a first flow field in fluid communication with the first electrode and disposed opposite the membrane;

a second flow field in fluid communication with second electrode and disposed opposite the membrane; and

an electrochemical cell collector plate comprising a layer disposed between a first metal foil and a second metal foil wherein the layer comprises an integral mixture of an electrically conductive material and an elastomeric material.

20. (Previously Presented) The electrochemical cell of Claim 19, wherein the electrically conductive material comprises a substoichiometric oxide of titanium represented by the formula Ti_nO_{2n-1} , where n is an integer of 4 or more.

21. (Previously Presented) The electrochemical cell of Claim 20, wherein the substoichiometric oxide of titanium is selected from the group consisting of Ti_4O_7 , Ti_5O_9 , Ti_6O_{11} , and mixtures comprising one or more of the foregoing.

22 - 23. (Cancelled)

24. (Currently Amended) ~~The~~ An electrochemical cell collector plate of Claim 9, comprising:

a first metal foil and a second metal foil wherein disposed between the first metal foil and the second metal foil is a layer comprising an integral mixture of an electrically conductive material and an elastomeric material, to form the electrochemical cell collector plate;

wherein the electrically conductive material comprises a substoichiometric oxide of titanium.

PES-0059-P

25. (Previously Presented) The electrochemical cell of Claim 19, wherein the first metal foil and the second metal foil are in physical contact with the layer.

26. (Cancelled)

27. (Currently Amended) ~~The~~ An electrochemical cell collector plate of Claim 9, comprising:

a first metal foil and a second metal foil wherein disposed between the first metal foil and the second metal foil is a layer comprising an integral mixture of an electrically conductive material and an elastomeric material, to form the electrochemical cell collector plate;

wherein the electrically conductive material is selected from the group consisting of copper, niobium, zirconium, tantalum, titanium, steels, nickel, cobalt, precious metals, substoichiometric oxides of titanium, and alloys and mixtures comprising one or more of the foregoing electrically conductive materials; and

wherein the first metal foil comprises a flow field.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKewed/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.